

HiT CLUTCHES vs Scooter Models

◆ (1)

Scooter Displacement	Applied Scooters		HiT Clutch Types
	Makers	Models	
50 cc <u>Minarelli / Yamaha Eng.</u>	APRILIA	AMICO / RALLY / SCARABEO	HiT 151201 (Bell Dia. 105 mm) A B C 102 28 24 Option : HiT-161301+Bell (B161301-107M)
	ATALA	CAROSSELLO	
	BENELLI	491 GT / K2 / K2 H2O	
	BETA	ARK / CHRONO / TEMPO	
	BSV	AX / JX / GZ	
	ITAJET	DRAGSTER / PISTA / SCOOP	
	KTM	K50	
	LEM	FLASH	
	MALAGUTI	CIAK / F10 / F12 PHANTOM YESTERDAY	
	MBK	BOOSTER / ROCKET	
	MOTRON	SYNCRO / THUNDER	
	YAMAHA	AEROX H2O / BWS ZUMA / CT / VINO	

◆ (2)

50 cc <u>Honda / Piaggio</u> <u>/Yamaha Eng.</u>	APRILIA	SR2004-CARB SR GP1 DITEH mot piaggio	HiT 161301 (Bell Dia. 107 mm) A B C 104 28 24
	BSV	GP / ZX	
	DERBI	GPI 2005 / GP1 LC	
	GILERA	EASY MOVING / RUNNER 50 / TYPHOON	
	HONDA	BALI / DIOZX / SPORT	
	HSC	SCO1 / SCO1 L	
	KYMCO	CX50 SUPER / HEROISM 50	
	PEUGEOT	ELYSEO / JET FORCE / TREKKER	
	PIAGGIO	FREE / LIBERTY / VESPA ET2 / ZIP	
	PGO	BIG MAX 50	
	YAMAHA	JOG 50	



◆ (3)

Scooter Displacement	Applied Scooters								
	Makers	Models	HiT Clutch Types						
100 cc	KYMCO	JR100	<u>HiT 161302</u> (Bell Dia. 112 mm) Option : HiT-161301+Bell (B161301-107P)						
	PGO	BIG MAX90 / HOT90 / PMX 90							
	SYM	R1 100							
	YAMAHA	BWS 100 / JOG 90							
			<table border="1"> <tr> <td>A</td> <td>B</td> <td>C</td> </tr> <tr> <td>109</td> <td>28</td> <td>24</td> </tr> </table>	A	B	C	109	28	24
A	B	C							
109	28	24							

◆ (4)

Scooter Displacement	Applied Scooters								
	Makers	Models	HiT Clutch Types						
50 ~ 125 cc	HYOSUNG	SUPER CAB 50	<u>HiT 161303</u> (Bell Dia. 110 mm)						
	SUZUKI	ADDRESS 125							
			<table border="1"> <tr> <td>A</td> <td>B</td> <td>C</td> </tr> <tr> <td>107</td> <td>28</td> <td>24</td> </tr> </table>	A	B	C	107	28	24
A	B	C							
107	28	24							

◆ (5)

Scooter Displacement	Applied Scooters								
	Makers	Models	HiT Clutch Types						
125 ~ 150 cc	KYMCO	HEROISM	<u>HiT 181401</u> (Bell Dia. 125 mm)						
	PGO	G MAX 125/150 / T-REX							
	SYM	ATTILA / EURO MX							
			<table border="1"> <tr> <td>A</td> <td>B</td> <td>C</td> </tr> <tr> <td>122</td> <td>28</td> <td>24</td> </tr> </table>	A	B	C	122	28	24
A	B	C							
122	28	24							

◆ (6)

Scooter Displacement	Applied Scooters		HiT Clutch Types
	Makers	Models	
125 ~ 200 cc	Honda	BALI 125 / BALI 150 / PANTHEON 125 inj	HiT-181401+Bell (B1814-G125)
	Kymco	PEOPLE 125 / PEOPLE 150 / VIVIO 125	
	Malaguti	CIAK 125~150	
	PGO	G MAX 200	
	SYM	JOYMAX 125~180 / RV 150~180	

◆ (7)

125 cc	BENELLI	VELVET 125	<u>HiT 201201</u> (Bell Dia. 120 mm) A B C 117 36 33
	ITALJET	MILLENIUM 125	
	MALAGUTI	MADISON 125 / PHANTOM F12 125	
	MBK	DOODO 125 / SKYLINER 125 / THUNDER 125	
	RENAULT	KOURANOS 125	
	YAMAHA	MAJESTY 125 / MAXSTER 125 TEO S 125 / CYGNUS / GTR	

◆ (8)

150 ~ 250 cc.	APRILIA	LEONARDO 250 / 300	<u>HiT 201202</u> (Bell Dia. 135 mm) A B C 132 36 33
	BENELLI	VELVET 150 / VELVET 250	
	ITALJET	JUPITER 250	
	MALAGUTI	MADISON 150 / MADISON 250 PASSWORD 250	
	MBK	DOODO 150 / KILIBRE 300 SKYLINER 250	
	RENAULT	KOUNANOS 250	
	YAMAHA	MAJESTY 150 / MAJESTY 250 MOD. 1999 VERSITY XC 300 / X MAX 250	

◆ (9)

125 ~ 250 cc (4 Stroke)	APRILIA	ATLANTIC 200 / SCARABEO 250	<u>HiT 201203</u> (Bell Dia. 134 mm) A B C 131 36 33
	GILERA	RUNNER VX 125 / RUNNER VXR 200	
	MALAGUTI	MADISON 250C / PHANTOM F12 250	
	PIAGGIO	GTX 180 / BEVERLY 200 / VESPA GT200 XP 200	

◆ (10)

Scooter Displacement	Applied Scooters		
	Makers	Models	HiT Clutch Types
125 ~ 180 cc (2 Stroke)	APRILIA	SR125 / 150	<u>HiT 201204</u> (Bell Dia. 134 mm) A B C 131 36 33
	GILERA	RUNNER 125 /180 / TYPHOON125	
	PIAGGIO	RUNNER 125 / 180 / HEXAGON 125 / 180 / SKIPPER 125 / 150	

◆ (11)

Scooter Displacement	Applied Scooters		
	Makers	Models	HiT Clutch Types
250 cc	APRILIA	LEONARDO 300	<u>HiT 201205</u> (Bell Dia. 145 mm) A B C 142 36 33
	ETON	VECTOR 250	
	MALAGUTI	CK250	
	MBK	KILIBRE 300 / SKYLINER 250	
	PEUGEOT	SATELIS 125 COMPRESSOR	
	SYM	RV250	
	YAMAHA	MAJESTY 250 (Mod.2000) / VERSITY 300 / XCITY 250 / XMAX 250	

◆ (12)

Scooter Displacement	Applied Scooters		
	Makers	Models	HiT Clutch Types
250 cc	KYMCO	EGO 250 / DINK 250 / PEOPLE 250	<u>HiT 231801</u> (Bell Dia. 153 mm) A B C 150 28 24

◆ (13)

Scooter Displacement	Applied Scooters		HiT Clutch Types
	Makers	Models	
250 cc	HONDA	CN250/FORESIGHT 250 98 FORESIGHT 250 99 / FORZA 250 JAZZ 250	<u>HiT 231802</u> (Bell Dia. 135 mm) A B C 132 30 26
	PEUGEOT	SV 250	
	PIAGGIO	X9 250	
	SUZUKI	BURGMAN 250	

◆ (14)

Scooter Displacement	Applied Scooters		HiT Clutch Types
	Makers	Models	
400 cc	BENELLI	VELVET DUSK 400	<u>HiT 251703</u> (Bell Dia. 150 mm) A B C 147 40 36
	MALAGUTI	MEDISON 400	
	SUZUKI	BURGMAN 400 (~2006)	

◆ (15)

Scooter Displacement	Applied Scooters		HiT Clutch Types
	Makers	Models	
400 cc	YAMAHA	MEJESTY 400	<u>HiT 251705</u> (Bell Dia. 160 mm) A B C 157 36 33

◆ (16)

Scooter Displacement	Applied Scooters		HiT Clutch Types
	Makers	Models	
500 cc	APRILLA	ATLANTIC 500 4T LC / ATLANTIC 500 4T LC SPRING / SCARABEO 500 4T LC	<u>HiT 251701</u> (Bell Dia. 160 mm) A B C 157 44.1 40.6
	GILERA	NEXUS 500 4T LC	
	MALAGUTI	SPIDERMAX 500 4T LC GT	
	PIGGIO	BEVERLY 500 4T LC / X9 500 4T LC EVOLUTION	



◆ (17)

Scooter Displacement	Applied Scooters								
	Makers	Models	HiT Clutch Types						
500 cc	KYMCO	XCITING 500	<u>HiT 251702</u> (Bell Dia. 160 mm) <table border="1"> <tr> <td>A</td> <td>B</td> <td>C</td> </tr> <tr> <td>157</td> <td>40</td> <td>36</td> </tr> </table>	A	B	C	157	40	36
	A	B		C					
157	40	36							
SUZUKI	BURGMAN 400 (2007~)								

◆ (18)

Scooter Displacement	Applied Scooters		
	Makers	Models	HiT Clutch Types
500 cc	KYMCO	MXU500	<u>HiT 301501</u> (Bell Dia. 140 mm)

◆ (19)

Scooter Displacement	Applied Scooters								
	Makers	Models	HiT Clutch Types						
600 cc	HONDA	SILVERWING 400 / SILVERWING 600	<u>HiT 251706</u> (Bell Dia. 160 mm) <table border="1"> <tr> <td>A</td> <td>B</td> <td>C</td> </tr> <tr> <td>157</td> <td>43.1</td> <td>--</td> </tr> </table>	A	B	C	157	43.1	--
A	B	C							
157	43.1	--							

◆ (20)

Scooter Displacement	Applied Scooters		
	Makers	Models	HiT Clutch Types
600~700 cc	YAMAHA	RHINO 660 / RHINO 700	<u>HiT 301502</u> (Bell Dia. 150 mm)



◆ (21)

Scooter Displacement	Applied Scooters		
	Makers	Models	HiT Clutch Types
800 cc	GILERA	GP800	<u>HiT 251901</u> (Bell Dia. 175 mm) A · B · C 172 · 48.2 · 44.6

◆ (22)

Scooter Displacement	Applied Scooters		
	Makers	Models	HiT Clutch Types
800 cc	CF MOTO	CF 188 / GOES 520 / ATLAS 500	<u>HiT 301901</u> (Bell Dia. 140 mm)
	HAMMERHEAD	TITAN 500 (2008)	

